



LED PROFILES




zastře one w UE




profil LED CORNER MAXI

corner 30° or 60°
mounted directly or by mounting plate;
additional heat radiation function



anodized aluminium


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection



profile LED
CORNER MAXI
- anod.:
500mm 98010020
1000mm 98020020
2000mm 98030020




ending CM /set=2pcs/
98070022



ending CM
with a hole /set=2pcs/
98040022



cover WI white	cover WI frosted	cover WI transparent
500mm 84050038	500mm 84050039	500mm 84050016
1000mm 84060038	1000mm 84060039	1000mm 84060016
2000mm 84070038	2000mm 84070039	2000mm 84070016



optional mounting:



2-4pcs/1m
mounting plate
SU/GR/CO
/set=2pcs/
76260000




2-4pcs/1m
mounting plate
SU/GR/CO flexible
/set=2pcs/
76380000

optional connector





connector SU/GR/CO
76350000

beam angles depend on way of mounting:




LED strip + cable
+ power supply
--> pages 21 - 23






profile LED SHELF MULTI

can be used as the shelf or cables hiding cover giving decorative and uniform light; accessories for cables hiding click-on cover profile. Application as a shelf - max. load 7 kg



anodized aluminium


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED SHELF MULTI
anodized
500mm 25010020
1000mm 25020020
2000mm 25030020



cover PH/LO/SM
standard
500mm 63570000
1000mm 63580000
2000mm 63590000




cover PH/LO/SM
narrow
500mm 63600000
1000mm 63610000
2000mm 63620000




cover PH/LO/SM
anodized
500mm 63540020
1000mm 63550020
2000mm 63560020




cover SL/BA/SM
transparent
500mm 89050016
1000mm 89060016
2000mm 89070016




glass fixing SM
500 - 25040020
1000 - 25050020
2000 - 25060020




LED mounting SM
500 - 25070000
1000 - 25080000
2000 - 25090000




holder SM galvan.
25100030




socket frame SM
0,5 - 25190020
1 - 25200020
2 - 25210020




ending SM
25110022




ending SM
shelf
25120022




ending SM
connector
25130022



ending SM
connector shelf
25140022



ending SM
pass through
25150022



ending SM
pass through shelf
25160022




sockets




switches

applications


1 shelf




2 profile with glass




3 floor profile




4 undercabinet profile




5 office profile




6 extension lead






profile LED FLAT

extremely slim, fit to the plasterboard; does not interfere with the construction of the plasterboard; uniform, smooth light; optional extra diffuser; can be mounted to the furniture, walls or floor profiles using the mounting plates (easy click system) or directly by screwing or using the glue (pasting)



raw aluminium (optional painting) or anodized aluminium


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection



profile LED FLAT
- raw aluminium:
500mm 23030000
1000mm 23040000
2000mm 23050000
- anod.:
500mm 23030020
1000mm 23040020
2000mm 23050020



ending FL /set= 2pcs/
23120022



cover FL white	cover FL transparent
500mm 23060038	500mm 23060016
1000mm 23070038	1000mm 23070016
2000mm 23080038	2000mm 23080016

optional mounting:



mounting plate
SU/GR/CO /set = 2pcs/
76260000



flexible mounting plate
SU/GR/CO /set = 2pcs/
76380000




mounting plate FL
spring
23130000


optional connector



connector SU/GR/CO
76350000




LED strip + cable
+ power supply
--> pages 21 - 23




profile LED DEEP

the profile can be installed in the surface, furniture or tile gap, in the wall or ceiling; the profile gives effect of lighting line; 6 different covers;



anodized aluminium


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED DEEP
anod.:
500mm 96010020
1000mm 96020020
2000mm 96030020



ending DE /set=2pcs/
96090022



ending thickness increases
the length of the profile




cover
SU/GR/CO
white
500mm
76230038
1000mm
76240038
2000mm
76250038



cover
SU/GR/CO
frosted
500mm
76230039
1000mm
76240039
2000mm
76250039



cover
SU/GR/CO
transparent
500mm
76230016
1000mm
76240016
2000mm
76250016



cover
SU/GR/CO
click
transparent
500mm
76310000
1000mm
76320000
2000mm
76330000



cover
SU/GR/CO
click
white
500mm
76310038
1000mm
76320038
2000mm
76330038



cover
SU/GR/CO
lens
60°
500mm
76280000
1000mm
76290000
2000mm
76300000

optional mounting:




mounting plate
SU/GR/CO /set = 2pcs/
76260000




flexible mounting plate
SU/GR/CO /set = 2pcs/
76380000



connector SU/GR/CO
76350000




LED strip + cable
+ power supply
--> pages 21 - 23




profile LED OVAL

a stick to hang clothes:
fitting to furniture's wall
by using mounting holder OV:
the lighting of wardrobe's inside



anodized aluminium


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED OVAL
anod.:
500mm 92010020
1000mm 92020020
2000mm 92030020



holder OV side
/set= 2pcs/
92040022



cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO
white	frosted	transparent
500mm 76230038	500mm 76230039	500mm 76230016
1000mm 76240038	1000mm 76240039	1000mm 76240016
2000mm 76250038	2000mm 76250039	2000mm 76250016



cover SU/GR/CO	cover SU/GR/CO
click transparent	click white
500mm 76310000	500mm 76310038
1000mm 76320000	1000mm 76320038
2000mm 76330000	2000mm 76330038



cover SU/GR/CO
lens 60°
500mm 76280000
1000mm 76290000
2000mm 76300000

optional component:





LED mounting OV
500mm 92080000
1000mm 92090000
2000mm 92100000

optional mounting:




holder OV simple
/set= 2pcs/
92070030




LED strip or
Fortimo LED
deco mini strip
PHILIPS
+ cable + power supply
---> pages 21 - 23

example applications




profile is fixed by mounting holder OV to wardrobe's walls;
LED strip 120 pts/m warm white




profile LED TRIO 45°

corner profile 45° used in cabinets corners
profile can be mounted on a surface by screws
or inside a surface by fitting glue
perfect fitting of a cover




anodized aluminium



standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED TRIO
anod.:
500mm 91010020
1000mm 91020020
2000mm 91030020



ending TR /set= 2pcs/
91040022




cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO
white	frosted	transparent
500mm 76230038	500mm 76230039	500mm 76230016
1000mm 76240038	1000mm 76240039	1000mm 76240016
2000mm 76250038	2000mm 76250039	2000mm 76250016







cover SU/GR/CO	cover SU/GR/CO
click transparent	click white
500mm 76310000	500mm 76310038
1000mm 76320000	1000mm 76320038
2000mm 76330000	2000mm 76330038




cover SU/GR/CO
lens 60°
500mm 76280000
1000mm 76290000
2000mm 76300000




LED strip + cable
+ power supply
---> pages 21 - 23






profile LED SLIM

the smallest profile for LED strip 8mm wide, which can be mounted on the surface; various applications



raw aluminium (optional painting) or anodized aluminium



standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection



profile LED SLIM
- raw aluminium:
500mm 89010000
1000mm 89020000
2000mm 89030000
- anod.:
500mm 89010020
1000mm 89020020
2000mm 89030020



ending SL /set= 2pcs/
89090022



cover SL/BA cover SL/BA cover SL/BA
white frosted transparent

500mm	500mm	500mm
89050038	89050039	89050016
1000mm	1000mm	1000mm
89060038	89060039	89060016
2000mm	2000mm	2000mm
89070038	89070039	89070016

optional mounting:




holder SL simple
/set = 2pcs/
89110030




flexible mounting plate
SL /set = 2pcs/
89270019



example applications



LED strip + cable
+ power supply
---> pages 21 - 23



profile mounted on the socle with warm white light




profile mounted in the furniture;
warm white light




profile LED BACK

profile can be mounted on a wall or in a cupboard; mounting plate SU/GR/CO can be applied; two-way glow of light; decorative lighting



aluminium (optionally painted)


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection



profile LED BACK
- raw aluminium:
500mm 90010000
1000mm 90020000
2000mm 90030000
- anod.:
500mm 90010020
1000mm 90020020
2000mm 90030020



ending BA /set= 2pcs/
90050022




cover SL/BA cover SL/BA cover SL/BA
white frosted transparent

500mm	500mm	500mm
89050038	89050039	89050016
1000mm	1000mm	1000mm
89060038	89060039	89060016
2000mm	2000mm	2000mm
89070038	89070039	89070016

optional mounting:



mounting plate
SU/GR/CO /set = 2pcs/
76260000




flexible mounting plate
SU/GR/CO /set = 2pcs/
76380000




connector SU/GR/CO
76350000


example applications



LED strip + cable
+ power supply
---> pages 21 - 23



profile mounted on the wall
with 2pcs warm white LED strips



profile mounted on the wall
with 2pcs green LED strips




frame mounted around a wall niche;
first LED strip - red, the other cool white



profile LED PEN

interior lighting for display cases, images, exposure of trinkets; possibility of directing the light; specially tailored lampshade; various mounting accessories




anodized aluminium


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED PEN
- anod.:
500mm 86010020
1000mm 86020020
2000mm 86030020



cover PE
500mm 86040000
1000mm 86050000
2000mm 86060000



mounting elements



LED strip + cable
+ power supply
--> pages 21 - 23

optional mounting:




holder PE simple
/set = 2pcs/
86370030

example applications





lighting of company's logo on trade fairs exhibition /SATURN/



mirror lighting in bathroom with double holder with ceilings; LED strip 3528 120pts/m



cabinet lighting with flat holder





holder PE flat silver
86070022

set consists of 2 holders and 2 endings





stretcher holder PE chromium
86290003

set consists of 2 holders




end holder PE chromium
86160003

set consists of 1 holder and 1 ending




holder PE jointed with ceiling chromium
86080003

set consists of 1 holder and 1 ending




length options:
"0"
86080003
100mm
86300003
200mm
86100003
300mm
86120003



holder PE jointed with thread chromium
86090003

set consists of 1 holder and 1 ending




length options:
"0"
86090003
100mm
86310003
200mm
86110003
300mm
86130003




double holder PE 100 with ceiling chromium
86320003

set consists of 2 holders




outriggers length options:
100mm
86320003
200mm
86170003
300mm
86190003




double holder PE 100 with thread chromium
86330003

set consists of 2 holders





outriggers length options:
100mm
86330003
200mm
86180003
300mm
86200003




profile LED WIDE

for mounting on the surface by using a special flat double-sided adhesive tape: the fixture can be used under cupboards e.g. as a lighting of kitchen tops



aluminium (optionally painted)

standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED WIDE
- raw aluminium:
500mm 84010000
1000mm 84020000
2000mm 84030000
- anod.:
500mm 84010020
1000mm 84020020
2000mm 84030020



ending WI /set= 2pcs/
84040022



ending thickness increases the length of the profile




cover WI white
cover WI frosted
cover WI transparent

500mm	500mm	500mm
84050038	84050039	84050016
1000mm	1000mm	1000mm
84060038	84060039	84060016
2000mm	2000mm	2000mm
84070038	84070039	84070016

optional mounting:




holder WI simple
/set = 2pcs/
84220030




LED strip + cable
+ power supply
---> pages 21 - 23


example applications




Cabinet lighting with cool white LED strip



cabinet lighting with 3 LED strips warm white




under cabinet lighting in the kitchen with 3 LED strips – first: warm white, the other: cool white




profile LED WIDE

universal mounting profile




aluminium (optionally painted)


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED WIDE
- raw aluminium:
500mm 84010000
1000mm 84020000
2000mm 84030000
- anod.:
500mm 84010020
1000mm 84020020
2000mm 84030020



ending WI-O /set= 2pcs/
84120022




ending thickness increases the length of the profile



cover WI aluminium


500mm
84090000
1000mm
84100000
2000mm
84110000

LED PROFILES




profile LED GROOVE

the profile can be installed in the surface, furniture or tile gap, in the wall or ceiling; mounted directly or by a mounting plate



anodized aluminium


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED GROOVE
anod.:
500mm 76190020
1000mm 76200020
2000mm 76210020



ending GR /set= 2pcs/
76380022




ending thickness increases
the length of the profile




cover SU/GR/CO
white

500mm 76230038
1000mm 76240038
2000mm 76250038



cover SU/GR/CO
frosted

500mm 76230039
1000mm 76240039
2000mm 76250039



cover SU/GR/CO
transparent

500mm 76230016
1000mm 76240016
2000mm 76250016



cover SU/GR/CO
click transparent

500mm 76310000
1000mm 76320000
2000mm 76330000



cover SU/GR/CO
click white

500mm 76310038
1000mm 76320038
2000mm 76330038



cover SU/GR/CO
lens 60°

500mm 76280000
1000mm 76290000
2000mm 76300000

optional mounting:



mounting plate SU/GR/CO /set = 2pcs/
76260000




flexible mounting plate SU/GR/CO /set = 2pcs/
76380000


optional connector




connector SU/GR/CO
76350000




LED strip + cable
+ power supply
---> pages 21 - 23



Cabinet lighting with RGB LED strip




Cabinet lighting with cool white LED strip



profile LED CORNER 30°/60°

Corner 30° or 60°, can be used as a lighting inside cabinets and cupboards; mounted directly or by mounting plate (2-4pcs/1m)



anodized aluminium


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED CORNER
anod.:
500mm 83030020
1000mm 83040020
2000mm 83050020



ending CO /set= 2pcs/
83070022



ending thickness increases
the length of the profile




cover SU/GR/CO
white

500mm 76230038
1000mm 76240038
2000mm 76250038



cover SU/GR/CO
frosted

500mm 76230039
1000mm 76240039
2000mm 76250039



cover SU/GR/CO
transparent

500mm 76230016
1000mm 76240016
2000mm 76250016



cover SU/GR/CO
click transparent

500mm 76310000
1000mm 76320000
2000mm 76330000



cover SU/GR/CO
click white

500mm 76310038
1000mm 76320038
2000mm 76330038

cover SU/GR/CO
lens 60°

500mm 76280000
1000mm 76290000
2000mm 76300000

optional mounting:



mounting plate SU/GR/CO /set = 2pcs/
76260000




flexible mounting plate SU/GR/CO /set = 2pcs/
76380000

optional connector




connector SU/GR/CO
76350000




LED strip + cable
+ power supply
---> pages 21 - 23



lighting behind TV drawer and exhibition on the shelf /TV room, DOMINICANS/




cabinet lighting with cool white LED and lens cover SU/GR/CO



corner cabinet lighting with cool white LED strip


beam angles depend on way of mounting:






profile LED SURFACE

can be used as lighting under cupboards, inside cabinets and cupboards: mounted on a flat surface directly or by mounting plate (2-4pcs/1m)



anodized aluminium

standard lengths: 500, 1000, 2000mm;
max. length 4000mm: length above 2000mm - own collection




profile LED SURFACE
- anod.:
500mm 77250020
1000mm 77260020
2000mm 77270020




ending SU /set= 2pcs/
70360022




ending thickness increases the length of the profile



cover SU/GR/CO white
500mm 76230038
1000mm 76240038
2000mm 76250038




cover SU/GR/CO frosted
500mm 76230039
1000mm 76240039
2000mm 76250039



cover SU/GR/CO transparent
500mm 76230016
1000mm 76240016
2000mm 76250016



cover SU/GR/CO click transparent
500mm 76310000
1000mm 76320000
2000mm 76330000



cover SU/GR/CO click white
500mm 76310038
1000mm 76320038
2000mm 76330038



cover SU/GR/CO lens 60°
500mm 76280000
1000mm 76290000
2000mm 76300000

optional mounting:



mounting plate SU/GR/CO /set = 2pcs/
76260000




flexible mounting plate SU/GR/CO /set = 2pcs/
76380000



holder SU simple /set = 2pcs/
77370030




connector SU/GR/CO
76350000



LED strip + cable + power supply
---> pages 21 - 23




bookcase lighting with different colors LED strips



lighting under table top /ART-CON/




banquet hall lighting /ECOTECHNOLOGIES/




profile LED FIX

for stiffing a LED strip or as a supplement of the profiles LED Surface, Corner, Groove




raw aluminium

standard lengths: 500, 1000, 2000mm;
max. length 4000mm: length above 2000mm - own collection



profile LED FIX - raw aluminium:
500mm 87010000
1000mm 87020000
2000mm 87030000

optional application




LED strip + cable + power supply
---> pages 21 - 23

LED PROFILES




profile LED MIKRO-LINE LINIA

the profile gives effect of lighting line; various mounting possibilities: flat, back, side;



aluminium (optionally painted)


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection



profile LED MIKRO-LINE
- raw aluminium:
500mm 70260000
1000mm 70270000
2000mm 70280000
- anod.:
500mm 70260020
1000mm 70270020
2000mm 70280020




ending M-LL /set= 2pcs/
70300000




cover M-LL
white

500mm 70310038
1000mm 70320038
2000mm 70330038



LED strip + cable
+ power supply
--> pages 21 - 23

example applications




MIKRO-LINE LINIA
with different colours of LED strips



lines mounted on the wall
with different colours of LED strips




example profile with cool white LED strip




profile LED TWIN

for lighting furniture back wall
or optionally also the glass (max thickness 8mm)




aluminium (optionally painted)

standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection





profile LED TWIN
- raw aluminium:
500mm 82110000
1000mm 82130000
2000mm 82150000


profile LED TWIN Plus with slots



profile LED TWIN Plus
- aluminium:
500mm 82120000
1000mm 82140000
2000mm 82160000




lighting of cabinet back wall with LED Twin Plus version




LED strip + cable
+ power supply
--> pages 21 - 23


example applications



lighting of cabinet back wall
/MATKOWSKI/




lighting of cabinet back wall
/MATKOWSKI/



lighting of cabinet back wall
/MATKOWSKI/




profile LED MIKRO for lighting a glass (thickness 6mm)



anodized aluminium (glossy)


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED MIKRO
- anod.:
500mm 68520020
1000mm 68530020
2000mm 68540020



ending MI /set= 2pcs/
68550000



ending thickness increases
the length of the profile




LED strip + cable
+ power supply
---> pages 21 - 23

example applications



example piece ready for mounting
and connection




backlight of graphics on the glass top



glass lighting with blue LED strip




profile LED MIKRO-LINE for lighting a glass (thickness 5-9mm)



raw aluminium (optional painting) or anodized aluminium


standard lengths: 500, 1000, 2000mm;
max. length 4000mm; length above 2000mm - own collection




profile LED MIKRO-LINE
- raw aluminium:
500mm 70260000
1000mm 70270000
2000mm 70280000
- anod.:
500mm 70260020
1000mm 70270020
2000mm 70280020



ending M-L /set= 2pcs/
70330000



ending thickness increases
the length of the profile




LED strip + cable
+ power supply
---> pages 21 - 23


example applications



backlight of advertising plate
with RGB LED strip



backlight of small desk plates with names




backlight of the glass
with cool white LED strip

mini connector



6-way distributor box for mini connector
85366900



mini connector with cable 1800mm
85430002



mini connector 150mm socket
C061900100



mini connector 150mm plug
C061900200

AMP connector



6-way distributor box for AMP connectors
85420002



AMP connector with cable 1800mm
85440002
AMP extension cable (plug + socket)
85450002

LED power supplies sets



with footswitch
6-way distributor box
+ LED power supply
+ cable 2,5m with footswitch
+ cable 1m with plug mains 230V

mini connector; 20W 69500000
mini connector; 50W 69510000



LED set touch
6-way distributor box

mini connector; 6 W 53110000
mini connector; 10W 53130000
mini connector; 20W 53150000

LED contactless sensor switches



LED contactless door sensor switch
12V/15W
15530000



LED contactless door sensor switch recessed
12V/30W
1553000001



LED contactless hand sensor switch
12V/30W
155400000

LED power supplies



LED power supply 6W
• Pri: 220-240V-50/60Hz
• Sec: 12V DC eff, 700mA
• max load 6W
• short circuit protection
KPB-6F



LED power supply 10W
• Pri: 220-240V-50/60Hz
• Sec: 12V DC eff, 800mA
• max load 10W
• short circuit protection
KLP-1018HV



LED power supply 20W
• Pri: 200-240V-50/60Hz
• Sec: 12V DC eff, 1.67A
• max load 20W
• short circuit protection
15640000



LED power supply 50W
• Pri: 200-240V-50/60Hz
• Sec: 12V DC eff, 4.17A
• max load 50W
• short circuit protection
15650000



LED power supply 75W
• Pri: 100-240V-50/60Hz
• Sec: 12V DC eff, 6.25A
• max load 75W
• short circuit protection
15570001

LED STRIPS



LED strip
cool white
12V; 4,8W/m; 60P/m
85414010



LED strip
warm white
12V; 4,8W/m; 60P/m
85414011



LED strip
blue
12V; 4,8W/m; 60P/m
85414012



LED strip
green
12V; 4,8W/m; 60P/m
85414018




LED strip
yellow
12V; 4,8W/m; 60P/m
85414016



LED strip
red
12V; 4,8W/m; 60P/m
85414017

max length: 5000mm



others:

LED strip
RGB
12V; 7,2W/m; 30P/m
85414025

LED strip
cool white
12V; 2,4W/m; 30P/m
85414021

LED strip
warm white
12V; 2,4W/m; 30P/m
85414022

LED strip
cool white
12V; 9,6W/m; 120P/m
85414055







LED strip
warm white
12V; 9,6W/m; 120P/m
85414056

waterproof LED strip
cool white
12V; 4,8W/m; 60P/m
85414031

waterproof LED strip
warm white
12V; 4,8W/m; 60P/m
85414032

waterproof LED strip
cool white
12V; 9,6W/m; 120P/m
85414029

waterproof LED strip
warm white
12V; 9,6W/m; 120P/m
85414028



PROFILES

- oval
- trio
- surface
- groove
- corner
- deep
- back
- slim
- wide
- mikro-line linia
- mikro-line
- mikro
- twin
- pen
- fix
- flat
- shelf multi

ENDINGS

- ending TR
- ending SU
- ending GR
- ending CO
- ending DE
- ending BA
- ending SL
- ending WI
- ending WI-o
- ending M-LL
- ending M-L
- ending MI
- ending PE
- ending FL
- ending SM

COVERS

- cover SU/GR/CO
white/frosted/
transparent
- cover SU/GR/CO
lens
transparent
- cover SU/GR/CO
click
transparent/
white
- cover SL/BA
white/frosted/
transparent
- cover WI
white/frosted/
transparent
- alu cover WI
- cover M-LL
white
- glass
5-6
mm
- glass
6
mm
- glass
8
mm
- cover PE
- cover FL
white/frosted/
transparent
- cover PH/LO/SM
narrow
- cover PH/LO/SM
- alu cover
PH/LO/SM

HOLDERS

- holder OV
- mounting plate
SU/GR/CO
- flexible mounting plate
SU/GR/CO
- two-sided adhesive tape
- connector SU/GR/CO
- two-sided adhesive tape
- flat holder PE
- others:
- end
- stretcher
- jointed with thread
- double with thread
- jointed with ceiling
- double with ceiling
- mounting plate SU/GR/CO
- flexible mounting plate SU/GR/CO
- holder SM
- wall bracket SM



TOPMET light **K.Kłosowicz M.Wiśniewski Sp.J.**

Ostrowska 354
61-312 Poznań, PL

tel. +48 61 872 75 00
fax +48 61 872 75 18



www.topmet.pl

The catalogue is not an offer under Polish Civil Code regulations.
Colors of particular products may vary slightly from color shown in pictures.
The dimensions given are approximate and can not be a reason for complaint.
TOPMET Company reserves the right to make technical changes.

brochure designer & photo: Katarzyna Samulska / 12.2013r.